

CLAIMS

1. An olfactory mucosa stimulating compound screening apparatus, comprising:

5           an administration means for administering an olfactory mucosa stimulating compound toward an olfactory mucosa of a test animal;

          a measuring electrode portion implanted in an olfactory bulb of the test animal for measuring an electrical  
10       signal generated in the olfactory bulb;

          a processing means for analyzing a correlation between an electrical signal measured by the measuring electrode portion when the olfactory mucosa stimulating compound is administered to the olfactory mucosa of the test  
15       animal by the administration means and a physiological response induced in the test animal.

2. An olfactory mucosa stimulating compound screening apparatus according to claim 1, wherein the processing means  
20       directly obtains data concerning the physiological response from the test animal, so as to analyze the correlation between the physiological response and the electrical signal obtained by the measuring electrode portion.

25       3. An olfactory mucosa stimulating compound screening apparatus according to claim 1, wherein the processing means previously stores data concerning an electrical signal in the olfactory bulb which induces a physiological response in the test animal, and analyzes based on the data the  
30       correlation between a physiological response and an electrical signal obtained by the measuring electrode portion.

5

10

15

25

8. An olfactory mucosa stimulating compound screening method, comprising steps of:

30

measuring an electrical signal generated in the olfactory bulb of the test animal when the olfactory mucosa stimulating compound is administered to the olfactory mucosa

of the test animal; and

analyzing a correlation between the measured electrical signal and a physiological response induced in the test animal.

5

9. An olfactory mucosa stimulating compound, which presents a correlation between an electrical signal measured by a measuring electrode portion and a physiological response induced in a test animal in the olfactory mucosa stimulating compound screening method recited in claim 8.

10

10. A treatment apparatus, comprising:

a measuring electrode portion implanted in an olfactory bulb of an organism; and

15

a means for supplying a stimulation pattern in the olfactory bulb, which induces a physiological response in the organism, to the measuring electrode portion in the form of an electrical signal pattern.

20

11. A measuring electrode portion, which is implanted in an olfactory bulb of a test animal for measuring an electrical signal generated in an olfactory bulb or supplying an electrical signal to the olfactory bulb, the measuring electrode portion comprising a plurality of microelectrodes, each of which detects an electrical signal from a nerve cell of the olfactory bulb, wherein

25

the micro electrodes are arranged based on an electrical signal pattern which is generated in the olfactory bulb as a result of administration of an olfactory mucosa stimulating compound to an olfactory mucosa of the test animal.

30



5

25

25. A measuring electrode portion according to claim 24, wherein the conductive material of the needle-shaped conductive lead is any of gold, platinum, ITO, titanium nitride, copper, silver, tungsten, and conductive rubber.
- 5 26. A measuring electrode portion according to claim 24, wherein the insulative film that covers the needle-shaped conductive lead is any of polystyrene, acrylic resins, polycarbonate, polyimide.
- 10 27. A measuring electrode portion according to claim 11, wherein the micro electrode is covered with a film of a biomaterial.
- 15 28. A measuring electrode portion according to claim 22, wherein the tip of the needle-shaped conductive lead is covered with a film of a biomaterial.
- 20 29. A treatment method, comprising steps of:  
administering an olfactory mucosa stimulating compound to an olfactory mucosa of a test animal;  
measuring an electrical signal generated in an olfactory bulb of the test animal when the olfactory mucosa stimulating compound is administered to the olfactory mucosa  
25 of the test animal to obtain an electrical signal pattern;  
determining a correlation between the electrical signal pattern, and the type and level of a physiological response induced in the test animal by the electrical signal pattern; and  
30 supplying an electrical signal pattern, which is sufficient for generating an intended physiological response, to an olfactory bulb of the test animal in the form of a stimulation pattern.

30. A method according to claim 29, wherein the intended physiological response is a decrease in the blood pressure.

5     31. A method according to claim 29, wherein the intended physiological response is a decrease in the blood glucose level.